



Sierra at its finest. Top-level Sierra SLE trim goes the limit in appearance. convenience and comfort, When you consider all that's included in the elegant SLE package, we think you'll agree it makes a perfect partner for pleasure or business trucking.

DISTINCTION STARTS UP FRONT

The high-styled exterior features a chrome-trimmed front-end treatment with black accents, chromed front bumper with bright-edged black rub strip and quad halogen headlamps for impressive night visibility.

All single rear wheel models have black body side moldings with bright trim. Bright wheel opening moldings also are included on single rear wheel Wideside Pickups, except the K-3500 and C6P (8600-lb GVWR) K-2500



models which feature wheel opening flares. Other special touches include SLE identification on the body rear pillar and a bright applique with GMC. and Sierra identification on the

Choose from 10 standard solid paint schemes, including three new colors for '89. Plus, you can select from a variety of available appearance options such as two-tone paint combinations, Rally wheels and chromed rear step bumper.

COMFORT IN THE GRAND STYLE

Step inside and discover full-size Sierra luxury and convenience at its finest. The richly appointed SLE interior offers a choice of Custom Cloth or Custom Vinyl upholstery in Gray, Blue, Beige, Garnet or Saddle. The standard 3-passenger bench seat features a built-in lumbar support when ordered in Custom Cloth. Available bucket seats also can be specified. The color-coordinated trim features full-length carpeting, carpet on cowl kick panels, carpet on cab back panel and padded cloth sun visors with right-hand vanity mirror. Two-tone soft vinyl door trim panels include armrests, assist straps, map pockets and carpeting on the lower portion. A Custom steering wheel also is standard, as is full instrumentation.

SIERRA VALUE PACKAGES

For 1989, Sierra Pickups offer substantial savings when purchased with available Value Packages. See pages 18-19 of this brochure for details.

Indet PAGE
Model Choices
4x4 Features 12-13
Cab & Chassis
Engines 15
Quality Features 16-17
Options/Value Packages 18-19
Exterior Colors 19
Business & Pleasure Features . 20
Standard & Available
Equipment 21
Technical Information 22-23
Trailering Back Cover
Owner Benefits Back Cover



Tires are supplied by various manufacturers.

Below: Sierra SLE interior with Custom Cloth seat trim Center: High-mount instrument cluster features full-gage package.



Above: 4-WD Sierra SLE Series K-1500 Wideside Pickup with 8-foot cargo box

Big space for people or cargo. Club Coupe is the full-size pickup with the extra-size cab. And, in '89 you can order Club Coupe with either a new 6.5-ft cargo box (available January, 1989) or the longer 8-ft box. Also order it with the available 60/40 split front bench seat and available 3-passenger folding rear seat and this stylish pickup can carry up to six persons, with plenty of leg room for everyone. No wonder so many people are turning to Sierra's Club Coupe model for both business and pleasure transportation.

VERSATILITY WITH UTILITY

When the family's not aboard, the rear seat area provides secure, in-cab storage two ways. The rear seat back-rest can be folded down to form a load platform, or the cushion can be folded

up to provide even more space for business cargo, tools, luggage or other gear.

Choose from 2-WD or 4x4 models in the 15-25-3500 Series (new 6.5-ft cargo box models not available in the 3500 Series). There's even a new available 3500 Series 4x4 Heavy Hauler Pickup with dual rear wheels and a 10,000-lb GVWR - an ideal vehicle for pulling big 5th wheel trailers. All this, plus a large selection of gasoline or diesel engines.

BIG ON LUXURY FEATURES

Up front, SLE offers available lowback bucket seats or a 60/40 split bench seat, both of which are designed to allow easy entry to the rear compartment. Both seats require use of the available folding rear seat.

CLUB COUPE

Seating can be ordered with Custom Cloth or Custom Vinyl upholstery. Interior color choices are Blue, Saddle or Garnet.

Standard features include full-length, insulated headliner and carpeting, plus carpet trim and insulation on cowl kick panels and the cab back panel — in addition to generous amounts of insulation elsewhere in the cab. A covered tray for jack and tool storage is mounted on the rear compartment floor.

On the outside, this top-level Club Coupe offers the same smart styling touches as SLE Regular Cab models. Swing-out rear quarter windows are available to provide additional comfort for rear seat passengers.

OTHER TRIM SELECTIONS

Club Coupe also is available with midlevel SLX and standard SL trim. These trim packages provide a standard 3-passenger front bench seat with folding backrest which can be replaced with an available 60/40 split bench seat or bucket seats (SLX only) that require use of the available folding rear seat. Without the rear seat, SL and SLX models have 40.5 cubic feet of storage space behind the standard front bench seat. See pages 8-11 for further details.



Sierra SLE Club Coupe interior with front and rear seating trimmed in Custom Vinyl





Sierra SLE Sportside Pickup interior with available bucket seats trimmed in Custom Cloth (also shown with available center console)

Cargo box side steps and available rear step bumper facilitate loading and unloading of the Sportside Pickup

A modern classic. Sportside is an attractive blend of contemporary Sierra styling and the traditional looks of a pickup with rear fenders. And it's built just as tough as any other GMC Truck pickup. So if you're looking for a truck that can work hard, and look extra sharp doing it, Sportside is for

Sportside is a short wheelbase pickup with 6.5-foot cargo box, and it is available only in the C/K-1500 Series as a Regular Cab model. It offers a maximum CVWR of 5600 lb, which

means you can pack an impressive payload aboard.

UNIQUE CARGO BOX DESIGN

Cargo box outer side panels with smoothly contoured fenders are made of tough, fiberglass-reinforced plastic. Fore and aft access steps are integrated with the side panels. Steel reinforcements add to panel rigidity. The all-steel, welded inner shell of the box consists of side panels, front-end panel and platform. Two-side galvanized steel is used for all major panels for protection from corrosion, including the steel tailgate which has double-wall construction and a singlelever latch that's easy to operate. The box is roomy enough to carry 4-foot wide items flat on the floor between the side panels.

TAILOR IT TO YOUR TASTE

Sportside can be ordered with SL, SLX or SLE trim. You can also choose standard solid color exterior paint or available Conventional Two-Tone paint. Or dress it up even more by specifying available wheel trim covers or sporty aluminum, rally or styled (2-WD only)

POWER FOR WORK OR SPORT

The standard Sportside powerplant is a gutsy 4.3 Liter Vortec V6 rated at 160 SAE net horsepower at 4000 RPM. If you'd like more muscle under the hood, specify a big 5.0 or 5.7 Liter V8. All engines are equipped with Electronic Fuel Injection, Heavy-duty chassis options are available to help you equip Sportside for your brand of work or play.





CLUB COUPE MODELS

Street-smart, job tough. Mid-level SLX trim is a step up from standard SL trim in both exterior styling and interior comfort.

The exterior is distinguished by black body side moldings on single rear models, black wheel opening moldings on single rear wheel Wideside Pickups (except C6P K-2500 and K-3500 models which have wheel opening flares) and a chrome front bumper with black protective strip. A color-coordinated decal with GMC letters decorates the

HIGH-LEVEL COMFORTS

For the inside, there's a choice of Standard Cloth or available Custom Vinyl upholstery for standard bench seats or available split bench seats in Club Coupe. Custom Vinyl trim is used for available bucket seats. Use of split bench or bucket seats in Club Coupes also requires use of the available folding rear seat. Full door trim panels have map pockets and soft vinyl upper trim. Color-keyed rubber floor covering also is included.


DRESS-UP OPTIONS

If you'd like to add more distinction. you can order available appearance options such as two-tone paint, Rally wheels and much more.



Sierra SLX Regular Cab interior with Standard Cloth seat trim

2-WD Sierra SLX Series C-1500 Wideside Pickup with 8-foot cargo box





2 WD Sierra St. Series C 2500 Wideside Pickup with 8 foot cargo box

Sierra SL Regular Cab interior with standard Vinyl seat trim

AVAILABLE **REGULAR CAB AND CLUB COUPE MODELS**

Uncommon standard value, When you combine the good looks of Sierra SL with its long list of features, you've got something special: A hard-working standard Pickup that stands apart from the pack.

IMPRESSIVE APPEARANCE

The smart exterior treatment includes a two-tone argent painted grille, chromed front bumper, black air dam, black outside rearview mirrors and silver-painted wheels with black hub ornaments. Wheel opening flares are included on C6P K-2500 and K-3500 4x4 models with single rear wheels.

STYLISH, PRACTICAL INTERIOR

Inside, the value begins with a foamcushioned Vinyl or Cloth bench seat; split bench seats with the same upholsplit bench seats with the same uphol-stery are available for Club Coupes. Use of split bench seats in Club Coupes also requires use of the avail-able folding rear seat. Other features include tinted glass for Club Coupes, insulated black rubber floor covering and side window defoggers.

For convenience, there's a glove box with latched door and beverage holder, a readily accessible fuse box and a handy jack-and-tool storage tray behind the front seat.



2 WD Sierra St. Regular Cab Wideside Pickup shown with available equipment

WITH INSTA-TRAC STANDARD ON ALL MODELS

Four-wheeling on the fly. When you want to leave the road behind you, or have to drive through mud or snow, Sierra 4x4 models deliver immediate four-wheel traction with the Insta-Trac 4-WD system.

With a quick flick of a lever, this system lets you shift the transfer case from 2 WHEEL to 4 HIGH and back without stopping, at any speed. It's a major advance over systems that require you to get out and lock or unlock hubs, or stop and reverse the truck to shift back into 2-WD.

INDEPENDENT FRONT SUSPENSION

A torsion bar independent front suspension allows each front wheel to step over bumps and ruts indepen-dently. The result is an impressive ride even under rugged off-road condi-tions. This advanced suspension also provides good ground clearance, yet maintains a low vehicle height for stability and easy entry into the cab.

BUILT 4x4 TOUGH

Rugged construction features like an all-welded frame and long-leaf rear springs help Sierra stand up to offroad punishment. Standard power steering, power brakes and anti-lock rear brake system contribute to impressive handling (anti-lock brake system operates only in the 2-WD mode). For extra-rugged 4-wheeling capability on K-1500 models, there's an available on-off road chassis package. Heavy-duty torsion bar suspen-



Insta-Trac lets you shift from 2 WHEEL to 4 HIGH and back at any speed.



Available 4x4 sport graphics for Wideside models add a special dash of distinction.


sion is available for use with frontmounted accessories.

NEW FOR '89

New available dual rear wheels provide K-3500 4x4 Pickup models with a 10,000-lb GVWR. That means more muscle for heavy hauling jobs, or pulling 5th wheel trailers, plus the advan-tage of 4-wheel drive. Also, additional payload capacity is offered in the K-2500 Series with introduction of new 8600-lb GVWR RPO C6P models.



4x4 Sierra SLE Regular Cab Wideside Pickup shown with available equipment, including snowplow and lights from outside supplier



4x4 Sierra SLE Series K-3500 Club Coupe Wideside Pickup with dual rear wheels and other available equipment



4x4 Sierra SLE Series K-1500 Regular Cab Wideside Pickup with available equipment. Tires are supplied by various manufacturers.

Cab & Chassis

Job-tough work trucks. Sierra Cab & Chassis models are designed to be outfitted with special bodies 7- to 8.5-foot long available from outside suppliers. They are available in the 25-3500 Series, with 2- or 4-wheel drive and with gasoline- or diesel-powered engines.

NEW 2500 SERIES MODELS

New for '89 are Series C/K-2500 Regular Cab and Club Coupe models rated at 8600-lb GVWR. Standard engines are the 5.7L V8 gasoline and 6.2L V8 diesel.

NEW DUAL REAR WHEEL 4X4 MODELS

For '89, dual rear wheels are available for Series K-3500 4x4 models. This gives you a Cab & Chassis with a big 10,000-lb GVWR, plus the ground-gripping traction of 4-wheel drive. Standard GVWR with single rear wheels is 8600 lb.

Series C-3500 2-WD models in the lineup also offer GVWRs of 8600 lb (with standard single rear wheels) or 10,000 lb (with available dual rear wheels).

TWO CAB STYLES

Regular Cab models, which come on a 131.5-inch wheelbase and with standard 3-person seating, are suitable


for a wide range of applications. Club Coupe models have a 155.5-inch wheelbase, and can carry a crew of six when equipped with the available 60/40 split front bench seat and available folding rear seat; without the rear seat (models with standard front bench seat), there's extra space for business tools and equipment. All models are available in the same trim levels as Sierra Pickups, Many Pickup options also are available on Cab & Chassis, See pages 18, 19 and 21. For additional information on Sierra Cab & Chassis, ask your GMC Truck Dealer for a copy of the 1989 Vans. Cab & Chassis and Forward Control Model catalog.




2-WD Sierra Series C-3500 Cab & Chassis shown with dual rear wheels and other available equipment, including stake rack body from outside supplier









6.2L VB Diesel

4.3L Vortec V6

7.4L V8

Power plus efficiency.

For business jobs or pleasure trips, Sierra Pickups offer engine choices to suit the entire spectrum of performance needs. The lineup begins with the 4.3 Liter Vortec V6 one of the most



powerful standard engines available in a half-ton pickup — and ranges all the way to a big 7.4 Liter V8 with muscle to spare for heavy hauling. And Sierra is the only full-size pickup to offer diesel power in all series (excluding other GM products). Diesel power, however, is not available on the 117.5-inch wheelbase Pickups in the C/K-1500 Series.

ELECTRONIC FUEL INJECTION

Computer-controlled Electronic Fuel Injection is standard on all gasoline engines for quick starts and smooth driveability, An on-board computer helps tune the engine as you drive.

SINGLE-BELT ACCESSORY DRIVE

All engines for Sierra have a serpen-

tine single-belt accessory drive instead of conventional multiple V-belts. It never requires adjustment and is designed for long wear.

ENGINE AVAILABILITY

For model availability of the engines noted below refer to the powertrain chart on page 22.

- 4.3 Liter Vortec V6. This highcompression engine features the Vortec swirl-port induction system for good mixing of fuel and air, and low-friction roller-hydraulic valve lifters for operating efficiency.
- 5.0 Liter V8. Swirl-port induction. fast-burn combustion chambers and coolant-heated inlet manifolds help give this popular V8 its high horsepower and torque ratings.
- 5.7 Liter V8. This big V8 provides all-around performance for work or play. Fast-burn combustion chambers help provide impressive acceleration.
- 7.4 Liter V8. A large displacement workhorse with plenty of horsepower and torque for big jobs. this proven V8 is one of the biggest engines offered in full-size pickups. It's

ideal for trailer-towing and other hard work.

6.2 Liter V8 Diesel. Designed exclusively for trucks, this rugged V8 combines heavy work capability with diesel operating advantages. Precombustion chamber cylinder head design promotes efficient fuel burning.

EFFICIENT TRANSMISSIONS

A Getrag-licensed 5-speed manual overdrive transmission is standard in all C/K-1500/2500 models (except C/K-2500 C6P models). Other transmissions in the lineup include a deep low gear 4-speed manual with power take-off provisions (standard on C/K-2500 C6P and C/K-3500 models). as well as 3-speed automatic and 4-speed automatic overdrive units. See chart on page 22 for availability.

A WORD ABOUT ENGINES

GMC Trucks are equipped with engines produced by different operating units of CM, its subsidiaries or suppliers to GM worldwide.

ENCINE TECHNICAL DATA

		F1.4	OHNE LECTIONS	MESTER				
TYPE			GASOLINE			DIE	SEL	
Displacement Configuration	4.3LV6	5.0LVB	5.7	8V.3	7.4L V8	6.2LV8		
Ordering Code	LB4	L03	t.	75	[19	THE (1)	114	
Bore & Stroke, in	401348	3.74 = 3.48	401	3.48	4 25 x 4.0	3.98 x 3.82		
Compression Ratio	9.3 to 1	93101	9 3 to 1 (2)	8.6 to 1 (3)	7.9 to 1	21.3 to 1		
Fuel Delivery	electronic fuel injection					mechanical (uel injection	
SAE Net Horsepower & RPM	160 @ 4000	175 @ 4000	210 @ 4000 [2]	190 @ 4000 (3)	230 @ 3600	126 @ 3600 (4) 1 140 @ 3600 (5)	143 @ 3600	
SAE Net Torque (lb-lt) @ RPM	235 @ 2400	270 @ 2400	300 @ 2800 (2)	300 @ 2400 [3]	585 @ 1600	240 @ 2000 (4) 247 @ 2000 (5)	257 @ 2400	

^{1 -} Not available in California nor on short wheelbase CK-1500 models.

² For models under 8500-to CYMR

³ For moders over 8500-45 CVAVR.

^{4 -} With manual transmission 5 - With automatic transmission.



Being tough isn't enough for Sierra. There's more to Sierra than the rugged strength and dependability you'd expect from a GMC Truck, Innovative design, advanced technology and precision manufacturing also help ensure that Sierra delivers solid quality in the way it works, rides, handles and performs.

Boxed front frame. Sierra's all-welded frame features a "boxed" front section for strength and rigidity. Steering gear mounted inside the frame rails provides a reduced turning circle for easy maneuvering. Power steering is standard.

Long leaf rear springs. The rear suspension includes rear springs of extended length. These are designed for durability and ride control. Teflon[®] coating on spring tips helps quiet the ride.

2-WD independent front suspension. Independent control arms, coil springs and big Delco shock absorbers combine to provide a smooth, balanced and controlled ride.

Advanced 4x4 suspension. Torsion bar independent front suspension allows each front wheel to work independently of the other for impressive ride control. It's a significant improvement over solid axle designs.


Insta-Trac 4x4 system. Sierra's Insta-Trac 4-WD system eliminates the need for locking hubs. It allows the driver to shift the transfer case between 2 WHEEL and 4 HIGH and back at any speed.



Rear wheel anti-lock brake control unit

Rear wheel anti-lock brake system.
This system is designed to help provide smooth, stable stops, empty or loaded, on slick or dry pavements. On 4x4 models, the anti-lock system operates only in the 2-WD mode.

Rugged cargo box. Sierra's Wideside cargo box is completely welded. Ribbed cargo floors have no exposed




bolts to discolor or corrode. Tough double-wall construction is used for the sidewal's and tailgate. Similar construction is used for the Sportside cargo box

Two-level loading. Wideside cargo box inner side paneis have shelves that permit installation of stringers to support 5-foot wide cargo above the wheelhousings; 4-foot wide cargo fits between the wheelhousings. That's versatility that comes in handy on the job.

Extensive anti-corrosion measures. Special steels, primers and coatings help Sierra Pickups fight rust. To start with, all exterior body panels, except the roof, are two-side galvanized steel. In fact, galvanized steel accounts for 73% of the total sheet meta.


Aerodynamic shape. Sierra's sleek body styling skees through the air to reduce air drag. In fact, this stream-



lined design, including a 50-2-degree windshield slope angle, provides the lowest air-drag coefficient of any full-size pickup in GMC Truck history. Flush-mounted windshield and concealed drip gutters help reduce wind noise.

Easy service access. A clean, uncluttered engine compartment with neatly arranged components makes it


easy to perform routine service chores. The oil dipstick is accessible from the front. See-through plastic reservoirs permit quick checks of engine coolant, windshield washer solvent and brake fluid. Underneath the truck, a frame-mounted winch provides easy access to the spare tire (standard on 1500 Series models).



Shown Series 1500 2 WD Regular Cab Pickup with standard 4.3s. Vortec V6 engine and available 4-speed automatic transmission with overdrive



Comfortilt steering wheel



Cassette deck (included with some AM FM stereo radios)



Deico AM FM stereo radio (at top)



Front bumper guards



Siding rear window and cargo lamp



Alum num whee s (2 WD design shown) *

Jalue Puckages

Buy a 1989 Sierra Regu ar Cab or C ub Coupe Pickup with an available Value Package and save! Regular Cab packages shown Savings based on Manufacturer's Suggested Retail Price for Value Package versus options purchased separately. Ask your Light Duty GMC Truck Dealer for discount details.

The second secon
You may was options as these packages.
however NG DELETIONS ARE
ALLOWED WITHOUT THE LOSS OF
DISCOUNT

- Altowable Jugrades Al To Rath: Wheek or Cast Auminum Wheels on Senes 50% a W1 mode's and Suckeed Makes and American Casi Auminum Wheels on Senes 500
- AND MODES P. P. Marie Concess of Street, of Table muclety.
- fo any other available stereo radio.
- D) F: Air inchaning (HD Heater Included pt Cord Demails Packages
- E) To Stanies's Size! Below Eyetine Camper Mirrors
- FI. To Rear Window Defopper
- To 2º Pisad utwass flux vage (HD Shocks included in IN 1093 models with
- Trailering Special Equipments

 M. To AM Startes PM Startes with Seet-Scan. Cassette Tope Equalities & Digital Clock.
- To Cast Aluminum or Solled Wheels on Appropriate the matter from the last the last the models.

	2WD	4WD	2WD	4WD
C) Materia Produces			-	_
St. Value Package Engine: 4 3t. V6 (1)				
Headliner Package				
	-	-	_	
Wheet Covers (A) (B) Radio: AM/FM Stereo with Seek-Scan				
& Digital Clock (C)				
		_		
Gauges, Voltmeter Temperature δ Oil Pressure				
Lighter Cigarette	- 1			
Heater Heavy-Outy (D)				
Mirrors Below Eyeline Painted (E)				
Window Siding Rear (F)				
Tank, 34-Gallon (approx.) Fuel (2)	-			
Windshield Wiper System: Intermittent				
Body Wideside (3)				
A Trans	-		-	
Stabilizer Bar Front (4) Shock Absorbers Front & Rear		_		-
Heavy-Duty (Senes I 500 only) (G)				
			-	
Battery: Heavy-Duty (Series 15-2500 onty) (5)				
Lighting Autority				
Glass. Tinted, All Windows				
Wheels, Single Rear (Senes 3500 only)				
there and enter the sea appropriate				
SLX Value Package				
Sierra SLX Trim				
Appearance Deluxe Front				
Radio AM/FM Stereo with Seek-Scan, Cas	rotte Too	n.		
& Digital Clock [H]	эсце юр	5		
Wheets Raily (Wheel Trum Rings substitute	den			
Senes 3500 with Dual Rear Wheels) (I)	CI (M.			
JETTED 3-300 FILE BARN (ICEN PRINCES) (I)				

4. In least of the oppraising to Off Road Chayes.

Package miss of modes in amore Special Equipment of CN (No. 1854) modes

5. Not available nor required with Desel equipment.

- Required upgrade not permitted includes 5-71, xf3 engine on C N C6P
- 2 Not recovered on CR 10 PFF models included when apgraping to lamper Special Equipment on Senes 25-3500
- Sportside body may be substituted on C K (D703 models.)

Personalize your Slerra. For added appear PACKAGE 1 PACKAGE 2 ance comfort and performance, you can equip your Sierra with a variety of available options some of which are depicted on this page. For add-tional information, see page 21. Note: Some items are standard on some Sierra. models. Ask your GMC Truck Dealer for compiete-information

- Available appearance equipment includes
- SLX and SLE interior/exterior trim packages.
- Deluxe front appearance package
- Body side moldings
- Wheel opening moidings.
- Two-tone paint schemes 4x4 graphics
- Raily wheels
- Bright wheel trim covers
- Black front bumper guards

Available comfort and convenience equipment includes.

- Air conditioning
- AM radio
- Electronically tuned AM, FM stereo radio with seek-scan
- Electronically tuned AM. FM stereo radio with seek-scan and digital clock
- Electronically tuned AM FM stereo radio with seek scan and stereo cassette tape.
- Ejectronically tuned AM/FM stereo radio. with seek-scan, stereo cassette tape and digital clock
- Electronically tuned AM stereo f/FM stereo radio with seek-scan stereo cassette tape graphic equalizer and digital clock
- Fixed mast antenna (included with above) radios)
- Gage package: voltmeter, temperature and oil pressure gages



Operating convenience package (power windows and power door locks)



Below eyeline mirrors



Rear step bumper and piatform trailer hitch



Fu whee covers*

* Tires are supplied by various manufacturers

- Electronic speed control
- Intermittent windshield wipers
- Slid ng rear window
- Cargo area lamp.
- Rear window delogger
- Operating convenience package (power door) ocks and power windows)
- Haiogen headlamps (included with Deluxe) Front Appearance Package)
- Roof marker lamps

Available chassis equipment includes:

- Locking rear different a:
- 4x4 stone shield plate package
- Heavy-duty shock absorbers
- Engine oil coaler.
- Engine block heater
- Front tow hooks
- Single 34 gallon fuel tank
- Dual rear whee s
- Heavy-duty torsion bars
- Auxiliary lighting package


Trailering Special Equipment (Z82): A factory-installed package designed to permit. towing gross trailer weights up to 10,000 ib fincludes trailer, cargo and equipment on trailer). The package consists of the following components: Wiring harness, weight distributing platform hitch and heavy-duty radiator and transmission oil cooler combination. See back cover for additional trailering nformation


* Receives C-QUAM* AM stereo broadcasts. Most AM stereo. stations across the country broadcast in C-QUAM but some do not. Check with your local stations for compatibility in



ture line. Available for all

Available Special Two-Tone includes a multi-stripe decal at the upper styling feature one with the accent color below the stoping. Available for Wideside models only







Note: Due to printing irregularities, colors shown may vary from actual tones. Ask your GMC Truck Dealer to show you actual color chips. (M) = Metallic



Smoke Brue (M)



Sandstone (M)



Brandywine (M)





Adobe Gold (M)



Caramel Brown (M)

Summit White



Quicksilver [M]



Flame Red



Midnight Blue (M)



2 WD Sierra SL Senes 2500 Wideside Pickup shown with available equipment

BUSINESSMEN LIKE GIERRA

During the day, it's a hard-working vehicle for any job you have to do, from hauling cargo to pulling trailers or making service calls.

Sierra is a rugged, reliable pickup that offers everything a business owner needs to get the job done efficiently and economically

FULL-SIZE VERSATILITY

Because it's a full-size pickup, Sierra offers strength and hauling capacity you can't get with mid-size and compact pickups. That means lots of muscle for jobs like moving heavy cargo or towing trailers

TRUCK-TOUGH DURABILITY

From rugged body-on-frame construction to extensive anti-corrosion measures, Sierra is built to go the distance in commercial service, day in and day out.

POWER TO DO THE JOB

Sierra offers engine choices to fit job requirements, including the 4.3 Liter Vortec V6, one of the most powerful standard engines available in a 1/2-ton pickup. Also in the power lineup are three big V8s and a truck-proven diesel V8. All gasoline engines have Electronic Fuel Injection for quick starts in hot or cold weather

BIG ON STANDARD VALUE

Sierra's long list of standard features includes power steering, power brakes

and rear wheel anti-lock braking. A smooth-shifting 4- or 5-speed manual transmission also is standard, depending on the model

FULL-LINE SELECTION

Name your application and there's a Sierra model to do the job. They come in Regular Cab or Club Coupe versions in the 15-25-3500 Series; with 2- or 4-wheel drive; with choice of gasoline or diesel power in most applications, with 6 5- or 8-foot Wideside cargo boxes, or 6.5-foot Sportside cargo box. There are also hard working Cab & Chassis models that can be adapted for special jobs with available bodies and vocational equipment from outside suppliers

BIG PAYLOAD CAPACITIES

Sierra's got the muscle to move a hefty load on every trip. Payload capacities range up to a whopping 5255 lb for a gasoline-powered, long wheelbase C-3500 Regular Cab Pickup with dual rear wheels and other available equipment (payload includes occupants, cargo and all equipment)

SPACIOUS CARGO BOXES

Unlike smaller pickups, Sierra's roomy cargo boxes let you stack 4-foot wide building materials flat on the floor — between the wheelhousings on Wideside models, or between the sidewalls of the Sportside, And, thanks to a

special sidewall design feature, Wideside models also can carry 5-foot wide materials above the wheelhousings After work and on weekends, it's a practical vehicle for family transportation, vacations and outdoor recreation

Sierra is a vehicle that can fit your infestyle as well as your work style. With its spacious interior and quiet, comfortable ride, it easily makes the switch from business truck to an everyday vehicle that can take you where you want to go with plenty of style.

SPACE FOR A FAMILY

You can have standard three-across seating or accommodate a family of six in a Club Coupe with available front and rear seating. Front bucket seats also are available. And Sierra's 6.5- or 8-foot cargo boxes tote big loads for pleasure trips

DISTINCTIVE STYLING

Sierra stands out from ordinary pickups with its sleek exterior styling and tasteful interior appointments. It's a truck that looks good anywhere you take it.

A PLEASURE TO DRIVE

Sterra's advanced front suspension system and other improvements provide a smooth, quiet ride that makes it a pleasure to drive for work or play Plus, it's surprisingly easy to park and handle.

STANDARD AND AVAILABLE EQUIPMENT

		SIANU		
		SIERRA	SIERRA	SIERRA
TRIM LEVEL		(57D)	SLX (7.62)	SLE (YE9)
TTENTE DE TEN	EXTERIOR APPEARANCE COUR		direct.	1
FLARES, WHEEL OPEN	INC IK-3500 AND C6P K-2500			
MODELS)		(8)	(8)	6
MOLDINGS	Biack body side	(2)	8	-
SINGEE REAR	Black wheel opening	A 1.2		-
PICKUPS	Bright-trimmed black body side	_	A 3 4	
m a maximum de abdesti i blad	Bright wheel opening		A 2.5	-
RADIATOR GRILLES	Light dark argent paint finish	8	0	1000
	Chromed finish with light dark argent paint trim	•	(3)	6
WHEELSAWHEEL	Silver painted conventional wheels	-	427	-
TRIM	with black hub ornament	9	0	9
	Silver painted styled wheels with			
	black hub ornament (Series C-1500 only)	(3)	0	0
	Aluminum wheels with 4x4 ident	-	-	-
	ification (K-1500 Regular Cab only)	(3)	0	0
	Aleminum wheels with black hub			
	ornament (Series C-1500 only)	0	A	0
	Rally wheels istandard wheels and			
	bright hub ornament plus bright trim rings) [C/K-1500/2500 only)		A	0
	Bright wheel trim covers single	400		-
	rear wheels only)	A	0	A
	Bright wheel trim rings (C.K-3500			
	with dual rear wheels	A	0	0
	Dual rear wheels (CIK 3500 only)	(A)	(8)	A
	INTERIOR APPEARANCE EQUI	PMENT		
FLOOR COVERINGS	Black rubber with insulator (partial) on Regular Cab)	6	w	-
	Full-length color-keyed rubber with			
	insulator	-	0	-
	Full length color keyed carpeting			
	with insulator	-	-	(8)
HEADLINER	Full-length insulated	63	69	69
22,000	ORT CONVENIENCE PROTECTIO	N EQUIP	MENT	
AIR DEFLECTOR	Mounted to underside of front	27%	-	. CO.
ASSIST HANDLE	Above RH door I4-WD only!	69	8	8
BUMPERS, FRONT	Chromed without rub strip	69		200
DUMPERS, PROMI	Chromed with bright trimmed rub	52		_
	strip	(A)	0	0
BUMPERS, REAR	Black painted	A 6	A 6	-
(STEP-TYPE)	Chromed with plain rub strip	(3) 7	A	A
COAT HOOKS, LHIRH		6 8	(3)	6.0
FLOOR MATS	Frant Boor	-	-	•
	Front and rear floor (Club Coupe			_
di see session een mes	with rear seat only		-	A
CDA22 (CTUR COUPE)	Tinted glass all around	0	0	(9)
	Deep-tinted swing-out quarter window glass	(A)	a	(A)
	Deep tinted swing-out quarter and	-		
	fixed rear window glass	A	a	A
GLASS (REGULAR	Clear glass all-around	6)	(3)	69
CAB)	Tioted grass ail-around	A	0	0
GUARDS FRONT	Black painted with black impact			
BUMPER	pad (requires rub strip type front bumper)	A	a	A
HEATING/COOLING	Outside air type heater with		-	-
	Outside an Lype wealer with			
The state of the s	windshield and side window			
	deloggers	9	6	8
	deloggers Heavy-duty heater to replace			
	deloggers Heavy-duty heater to replace standard heater	(S)	6	0
	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air	A	A	•
	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner			
	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models	A	a a a	8
	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger	0	A A	8
	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note	A	A A A A -	0 0
HORN	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note	0	a a a	8
HORN INSTRUMENT PANEL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note Glove box with latched door and	A A A S	A A A	a a a a a
HORN INSTRUMENT PANEL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note Glove box with latched door and beverage holder provisions	A A A -	A A A A -	0 0
HORN INSTRUMENT PANEL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note Glove box with latched door and	A A	A A A 	a a a a a
HORN INSTRUMENT PANEL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Oual high/low-note Glove box with latched door and beverage holder provisions Integral fuse block with access	A A A S	A A A	a a a a a a a a a a
HORN INSTRUMENT PANEL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note Glove box with latched door and beverage holder provisions Integral fuse block with access door Tip-out ashtray	(A) (A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	A A A B B B B B B B B B B B B B B B B B	6 6 6 6
HORN INSTRUMENT PANEL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air ronditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note Glove box with latched door and beverage holder provisions Integral fuse block with access door Tip-out ashtray Cigarette lighter (in ashtray)	(A) (A) (B) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	A A A B B B B B B B B B B B B B B B B B	6 6 6 6
HORN INSTRUMENT PANEL (MISCELLANEOUS) IACK AND TOOL	deloggers Heavy-duty heater to replace standard heater Outside air type heater-air conditioner Cold climate package for gasoline engine models Electric rear window delogger Single low-note Dual high/low-note Glove box with latched door and beverage holder provisions Integral fuse block with access door Tip-out ashtray	(A) (A) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	A A A B B B B B B B B B B B B B B B B B	6 6 6 6

TRIM LEVEL		(STO)	SUX (262)	(YE9)
the state of the s	T/CONVENIENCE/PROTECTION E	DUIPMENT	(cont d)	
LAMPS, EXTERIOR	Halogen headlamps	A 9	A 9	(8)
	Roof maker lamps (25-3500 Series Isingle rear wheels) (not			
	available in California	A	A	a
	Cargo area lamp	A	A	A
OCK HIRRORS UAL REARVIEW XTERIOR HIRRORS INTERIOR OWER EQUIPMENT ADIOS EATS:SEAT TRIM CLUB COUPE) HIELDS:SHIELD LATES PARE WHEELJ IRE CARRIER PEED CONTROL TEERING COLUMNI	Underhood lamps (both fixed and			
	reel-type]	A 11	@11	(A)
	Headlamp warning buzzer	A 11.	A 11	A
LIGHTING INTERIOR	Dome lamp	(3)	(3)	63
	Dome/reading lamp	A 12	A 12	(A) 13
	Courtesy lamp, LN RN (on instru-	-		
	ment panel lower lip)	A-11	A 11	AI
	Ashtray lamp	A 11	A 11	AI
	Giove box lamp	A 11	AH	(A)
	Dome (or dome and courtesy) lamp door operated switch, LH	0	6	0
	Dome (or dome and courtesy) lamp	40.9		
	door-operated switch, RH	(A)11	A 11	AI
LOCK	Fuel filler cap	A	A	A
MIRRORS	Black painted below eyeline type			
DUAL REARVIEW	with swingaway feature	A	A	A
EXTERIOR	Black painted conventional type	69	0	(3)
	Stainless steel below eyeline type			
	with swingaway feature	A	(A)	A
	Stainless steel camper type	A	A	A
MIRRORS INTERIOR	Non-glare rearview	69	0	0
	RH sunshade (vanity)		-	(8)
POWER EQUIPMENT	Operating convenience package (power door locks and windows)	-		-
DADING	Various [14]	A	<u>A</u>	A
	Vioyl bench seat	A	A	A
CLUB COUPE	Vinyl split seat	A 13	-	_
	Cloth bench seat	A	6)	-
	Cloth split bench seat	A 13	A 13	_
	Custom cloth split bench seat	-	- 15	(2) 1
	Custom cloth bucket seats	-		A
	Custom vinyl split bench seat		A 15	
	Custom vinyl bucket seats	-		a
	Custom vinyl bench seat	_	(A) 13	A
COATC/COAT TODA	Vinyl bench seat	400		_
	Cloth bench seat	A	(3)	-
	Custom cloth bench seat	-	150	69
	Custom cloth bucket seats	-	-	0
	Custom vinyl bucket seats	_	•	A
	Costom vinyl bench seat	_	A	A 1
CHIEFOCKNIEFD	Bathtub-type fuel tank shields	470	60	-
PLATES		167	100	953
	4 WD shield plate package	A	A	0
	Winch-type at rear of vehicle (Requires spare tire and wheel)	0	(3)	0
The separate	Side-mounted inside Wideside	40.0		-
	Pickup box on LH side (single rear			
	wheel models!	A	a	(4)
SPEED CONTROL	Electronic-type	(2)	0	A
STEERING COLUMN	Energy-absorbing column [black]	6)	(9)	6
WHEEL.	Standard 4-spoke energy-			
	absorbing wheel (black)	0	(9)	-
	Custom 4 spoke energy absorbing wheel (black)	0	•	0
	Sport 4 spoke energy absorbing		43	6)
	wheel (black)	-	_	A
	Comfortul steering wheel (black)	A	A	a
STORAGE CONSOLE.	For use between available front			
FLOOR-MOUNTED	bucket seats	-	A	A
SUNSHADES	Vinyl-covered LHIRH	0	0	-
	Cloth-covered with storage			
	strap, LH	_	-	(3)
	Cloth-covered with vanity			-
TOWN LOOKE FROM	mirror, RH	-	Part	(3)
	LH/RH frame-mounted	A	A	A
VENTILATION FLOW-		0	0	0
WINDSHIELD WIPER	Two-speed wipers demand-type washer with dual fluidic spray			
renarita.	nozzles	(9)	8	0
	Two-speed wipers with intermittent			
	feature demand-type washer with	1		
	dual fluidic spray nozzles	A	A	A

SIERRA SIERRA SIERRA

Available

Requires black body side moklings.
 Except K-3500 Series or Sportside Pickup.

3 Requires bright wheel opening moldings
4 - Not available with painted rear bumper
5 - Requires bright trimmed tody side moldings
6 - Not available on Sportside Pickup
7 - Requires chromed front bumper with rub strip.

8 - Stight-hand only on Regular Cab models.
9 - Also available as part of optional deluxe front appearance package.
10 - Not available in California on single rear wheel models included with available dual rear wheels.

11 Available only as part of optional auxiliary lighting package.
12 - Asso available as part of optional auxiliary lighting package.
13 - Requires available folding rear seat.
14 - See your GMC Truck Dealer for details.

TECHNICAL INFORMATION

PICKUP MODEL SERIES		2-WD C-1500	4-WD K-1500	2-WD C-2500	4-WD K-2500	2-WD C-3500 (SR)	4-WD K-3500 (SR)	2-WD C-3500 (DR)	4-WD K-3500 (DR)	
GVW RATING, Ib	Regular Cab	5600 (1)/ 6100 (2)	5600(1) 6100(2)	7200/8600	7200/8600	8600 (1)	9600(1)	10,000	10,000	
RONT SUSPENSION Capacity, Ib Spring torsion bar capacity, Ib (6) Shock absorber diameter, in REAR SUSPENSION Axie capacity, Ib Spring capacity, Ib Spring capacity, Ib (6) Shock absorber diameter, in RERVICE BRAKES Power assist type PARKING BRAKES TEERING TRES UEL TANK NOMINAL APACITY, gallons LATTERY CCA rating (gasoline models)	Club Coupe	6200	6200(1) 6500	7200/8600	7200/8600	9600(1)	8600(1)	10,000	10,000	
FRONT SUSPENSION			ind	ependent coll	springs (2-WD) t	orsion bars (4-V	VD)			
Capacity, Ib	Regular Cab	2950 (3)	3350 (4)	3750 (5)	3925 (11)	\$800	4250	5800	4750	
	Club Coupe	3600	3925	3600 (7)	3925 (11)	3800	4250	3800	4250	
	Regular Cab	1475-1800	1800-1962.5	1575-1900	1875-1962-5	1800-1900	1875-2125	1800-1900	1875-2125	
	Club Coupe	1750-1600	1800-1962.5	1800-1900	1875-1962 5 (15)	1800-1900	1875-2125	1800-1900	1875-2125	
Shock absorber diameter, in	Standard	1,00	1,00	1.26	1.26	1.26	1.26	1,26	1.26	
	Optional	1 26	1.26	- 1	te.	-			-	
Stabilizer bar diameter, in	Optional	00	1,00	1.00	1.00	1.00	1.00	1.00	1.00	
REAR SUSPENSION					Salisbury axle v	with leaf springs			400	
Axie capacity, lb		3750	3750 [13]	4800 9	4800 (9)	6000	6000	7500	7500	
Spring capacity, ib (6)		1875	1875	2400 (10)	2400 (10)	3000	3000	3750	3750	
Shock absorber diameter in	Standard	1.00	1.00	1.26	1.26	1.26	1.26	1.26	1.26	
ONT SUSPENSION Capacity, Ib Spring/torsion bar capacity, Ib (6) Shock absorber diameter, in AR SUSPENSION Axie capacity, Ib Spring capacity, Ib Spring capacity, Ib Shock absorber diameter in RVICE BRAKES Power assist type RKING BRAKES EERING RES EL TANK NOMINAL PACITY, gallons TTERY CCA rating (gasoline models)	Optional	1.26	1.26		-		-	184	-	
SERVICE BRAKES		power assisted hydraulic front discirear drum with rear anti-lock system								
Power assist type	Casoline models	Vac.	vac.	yac.	700	YOC.	yac.	hyd	hyd	
	Diesel models	hyd.	hyd	hyd	hyd	-	_	hyd.	hyd.	
PARKING BRAKES					capie to re	arwheels				
STEERING			variable ratio, power-assisted							
TIRES				(all stance	dard tires are All	Seasons radial	ply type)			
	Standard (Regular Cab)	P225/ 75R15	17725 75R16C	17225 75R16D [14]	17225 75R16D	17745 75R16E	17245 75R16E	17225 75R16C/D	17225 75R16C/D	
	Standard (Club Coupe)	P235 75R15	17245 75R16C	17225 75R16D (14)	17245 75R16C	17245 75R16E	17745 75R16E	17225 75R16C D	11225 75816CD	
	Optional				various types	and sizes (12)				
FUEL TANK NOMINAL	Standard				2					
CAPACITY, gailons	Optional				3	4				
BATTERY					12-volt. Delco Fr	eedom (I + type				
CCA rating (gasoline models)	Standard	430 [5.1	JL VB & manual I	ransmission: 5	25 4.3L V6/5.0	L V8 & automal	tic transmission	5.7L V81 630	7.4LV8]	
COV Latting (Basonine moders)	Optional heavy-duty	650	650	650	630	650	630	630	630	
	Optional aux liary	540	540	540	540	540	540	540	540	
CCA rating idiesel models	Standard deali	570	570	570	570	(mix	(90)	570	570	
DELCOTRON GENERATOR AMP	RATING			85710	00-amp with opt	ional air conditi	oning)			

SR - Single roar wheels

DR - Dual rear wheels

I - Not available for diesel models.

2 - Not available for short wheelbase models. 3 - 3150-to for diesel models or 5100-to GVWR gasoline models.

4 - Short wheelbase models (5450 to for long wheelbase models): 3925 to for diesel models or 6100-to GYMR greating models.

5 - For 7200-to CVVVR gasotine models (3400 to for classel models); 3800 to for 8600 to CVAVR models (CSP).

6 - At ground, each.

2WO-2wheeldhier

7 - For 7200-to CVMR recoim, \$800 to for 8600-to CVMR models ICSP).

8 - For 7200-to CVWR gasairre models (1700-1900 to for diese) income; I bill' 1900 to in bill' to 1900 to 1900 mores if 1900.

9 - For 7300-lb CAWR models; 6000-lb for 8500-lb CAMR models

10 For 7700 to CVMR models: 3000 to for 8600-to CVMR models JC6PL

11 - For 7200-to CVMR readets, 4250 to for 6600 to CVMR readets. (C6P)

444D-4 wheel drive

CCA - Cold Cranking Amps

12. Tire chains should not be used on K-1500 models with available. LT265 75R16 times or on CW-3500 models with available dual rear wheels as they may cause damage to the vehicle.

15 4800 lb for Club Coupe diesel models or 6600-lb CVANT Club Coupe modes.

14 - LT2A5/75R16E for 8600 to CYAR models.

15 For 7200-to CVWR models. 1875-2125 to for 8600-to CVWR

PICKUP POWERTRAINS

				TRANSM	ISSIONS			
l l			MAN	MATIC				
5.0L V8 GAS (L03) 5.7L V8 GAS (L05) 7.4L V8 GAS (L19)	AVAIL A	ENGINE AVAILABILITY BY MODEL		5-SPD OD (MM5)	3-SPD (MX1)	4-SPD OD (MXO)	STD	AVAILABLE
4 3L V6 CAS (LB4) 5 OL V8 CAS (LO3)	63	TC107-10903/53	(MM4)	0	-	•	5.08	3.42
	63	TK107-10903/53	•	0	_	0	3.42	3.73 (6) (8)
	69	7C/TK20753 TC/TK20903-53 (-C6P)	0	8	-		3.42	5.75 (6)
		TC107-10903/53	-	6 3	-	0	3.08	3.42
	0	TK107-10903/53	-	3		•	3.42	3.73
	0	TC/TK20753 TC/TK20903-53 (-C6P)	-	© 3	-	6	3.42 3.73 3.42 3.73 3.08 3.42	3.73
5.7L V8 GAS (L05)	0	TC10703-10903/55	● 2, 3	63 3	-	0	3.08	3.42
	•	TK107-10903/53	© 5	3	-	0	3.42	3.73 (6) (8)
	0	TC/TK20753 TC/TK20903-53 (-C6P)	6 3	3 3	-		3.42	3.73 (6)
	0	TC,TX20903-53 (&C6P)	9	-	0	-	3.42	3 73 (6) 4 10 (6)
	6)	TC/TK30903-53 (DR)	0	-	© 7	-	4.10 61	4.56 [6]
7.4L VB GAS (L19)	6)	TC/TX30903-55 (SR)	0	-	•	-	3.42	3.73/4.10(6)
	(3)	TC30903-53 (DR)	6	-	607	-	3.73	4.10 (6) 4.56 (6)
6.2L V8 DIESEL (LH6/LL4)	(3) 3. 4	TC/TK10753 TC/TK10903-53	S	-	-	6	3 OB	3.42
	3 4	TC/TK20753 TC/TK20903-53 (-C6P)	6	-			3.42	3.73
	635	TC/TX/20903-53 (&C6P)	6	-	a	-	3.73	4.10
	(9 5	TK30903-53 (DR)	(3)	-	9 7	-	4.10	-

For standard transmission at standard CVWR Consult your CMC Truck Dealer for other axie ratio applications, including High Altitude Emissions (NA6)

Standard - Available SR - Single rear wheels DR - Dual rear wheels OD - Overdrive

Not available on Models 7010705/SS.


5 - LL4 heavy-duty emission engine

5 - Except California. 4 - LH6 light duty emission engine.

6 Requires KC4 engine oil cooler 7 - Requires VO2 cooling 8 - Requires VO2 cooling with MKD MK1 transmission.



DIMENSIONAL DATA Note: All dimensions shown in inches.



SIERRA PICKUP AND CAB & CHASSIS MODEL AVAILABILITY

ENGINE TYPE				G	ASOLINE	DIESEL							
MODEL TYPE	TYPE WIDESIDE PICKUP				SPORTSIDE PICKUP CAB & CHASSIS			WIDESIG	DE PICKI	UP .	CAB & CHASSIS		
CAB TYPE	REG	ULAR	And the second s		REGULAR	Name and Address of the Owner, where the Party of the Owner, where the Party of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, which		RECULAR	CLUB	COUPE	REGULAR	CLUB COUPE	
Wheelbase in	117.5	131.5	141.5	155.5	117.5	131.5	141.5	131.5	141.5	155.5	131.5	155.5	
Box Length, ft	6.5	8.0	6.5	8.0	6.5	-	-	8.0	6.5	80	-	-	
					2-WHEEL DR	IVE MODELS	ERIES						
C-1500	Х	X	X	X	X	-0	-	X(9)	X	X(I)	-	-	
C-2500	-	X	X	X	-	R	I	X	X	X	X	X	
C-2500 & C6P	- 8	X	X	X	245	-	-	X	X	X		-	
C-3500		X [2]	-	X (2)	-	X(2)	X (2)	X (2)	-	X (2)	X(2)	X(2)	
					4-WHEEL DR	IVE MODELS	ERIES						
K-1500	χ	X	X	X	X	100	-	X(0)	X	X(1)	-	-	
K-2500	-	X	X	X.		X	X	K	I	X	X	X	
K-2500 & C6P	1-0	X	X	X.		-	-	X	X	X	-		
K-3500	-	X [2]	100	X (2)	-	X (2)	X (2)	X (2)	-	X (2)	X (2)	X (2)	

1 - Not available in California.

2 - Available with dual rear wheels.

IMPORTANT: A WORD ABOUT THIS CATALOG. We have tried to make this catalog as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Since some information may have been updated since the time of printing, please check with your GMC Truck Dealer for complete details.

A WORD ABOUT ASSEMBLY OF GMC TRUCKS. GMC Trucks are assembled by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce GMC Trucks with different or differently sourced components than originally scheduled. All such components have been approved for use in GMC Trucks and will provide the quality performance associated with the

GMC Truck name. Since some options may be unavailable when your vehicle is assembled, we suggest you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

These vehicles are also available under the Chevrolet nameplate as Series C/K1500-2500-3500 Cheyenne, Scottsdale and Silverado Pickups.

A WORD ABOUT UPDATED SERVICE INFORMATION.

GMC Truck Division regularly sends its dealers useful service bulletins about GMC Truck products. GMC Truck Division monitors product performance in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer. To get ordering information, call toll free 1-800-551-4123.

Trailering

Big muscle for trailering. A properly equipped Sierra is a powerful towing vehicle. Check the chart below for maximum allowable Gross Combination Weight Ratings (GCWR) based on standard and available engines and rear axle ratios for Sierra with an available automatic transmission.

Sierra can be ordered with available trailering packages that help equip it for towing. See the '89 GMC Truck Trailering Guide for complete details about trailering recommendations and requirements.



4x4 Sierra SLE Series 1500 Wideside Pickup. Tires are supplied by various manufacturers.

GROSS COMBINATION WEIGHT RATING FOR TRAILERING WITH AUTOMATIC TRANSMISSIONS

		GROSS COMBINATION WEIGHT RATING, (Ib)*													
	7500	8500	9000	9500	10,000	10,500	11,000	11,500	12,000	12,500	13,500	14,500	15,000	16,000	19,000
ENGINE							RE	AR AXLE RA	TO						
4.3L V6 GAS (LB4)	2.73	3.08	-	3.42	3.73	4.10	-	-		-	-	-	-	-	-
5.0L VB GAS (LOS)		2.73		5.08		3.42	-	5.75	-	4.10	-	-	-		-
5.7L V8 CAS (LOS)			2.75	-	3.06	-	3.42	-	3.75		4.10	-	4.56		-
7.4L V8 GAS (L19)	-		_	-	-	-	-				3.42	3.73	-	4.10	4.56
6.2L V8 DIESEL (LH6/LL4)	-	-	+	-	3.42	-	5.73	-	4.10	-	4.56	-	_		_

Includes weight of truck, trailer, panaeogers, cargo and equipment on truck and trailer.

Juner Benefits

LOW MAINTENANCE

The technology that goes into Sierra has contributed in many ways to reducing the time and effort required for routine service and maintenance. Consider these advanced features: □ Delco Freedom II + battery never needs refilling with water; has built-in test hydrometer Integral voltage regulator is built into Delcotron generator; it's transistorized for reliability Starter sciencid is integral; provides positive starter engagement

Large fuse block has tweezer-type fuse removal for easy serviceability I Mufflers have heavy-gage outer shell and are aluminized inside and out for added durabil-Ity

Engine coolant recovery reservoir collects hot overflow coolant and returns it to radiator automatically when it cools

Self-adjusting hydraulic clutch with manual transmissions Tires have built-in tread wear indicators. See-through reservoirs for quick checks of engine coolant, windshield washer fluid and brake fluid

No adjustments for idle speed or fuel-air mixture on gasoline engines - an onboard computer helps tune the engine as you drive Audible wear sensors on front disc. brakes for early warning of brake pad wear <a> Front and rear brake designs include a selfadjusting feature
Single-belt engine accessory drive with automatic belt tensioner never needs adjustment.

Shown below are a few of the recommended maintenance intervals for Sierra models with light-duty emission gasoline engines.

Change engine oil

 More often under certain conditions. See your Maintenance Schedule booklet.

DEALER SERVICE



Commitment Plus is one of the most complete joint sales and service customer satisfaction programs available on light-duty trucks today. It offers the following benefits:

- A thorough pre-delivery vehicle inspection
- . One full tank of fuel
- Complimentary 3000-mile maintenance service including oil change and oil filter.

GMC Truck and GMC Truck Dealerships are truly committed to making GMC Light Duty Trucks easy to live with. Our customers' total satisfaction is indeed our goal!

Commitment Plus applies to retail sales only, but not to any Series C/K-3500 model described in this catalog.

When your new Sierra needs service, you can count on the professionals at any of GMC Truck's approximately 2500 Light Duty Truck Dealerships.



GM-CAMS is now installed at over 400 GMC Truck participating dealerships. GM-CAMS is an abbreviation for the Computerized Automotive Maintenance System. It is designed to diagnose conditions related to electronic system and powertrain driveability problems plus Sierra anti-lock rear brakes. GM-CAMS is not a replacement for other diagnostic tools, such as those used to diagnose traditional mechanical functions. CAMS' main function is to isolate malfunctions in electronic systems controlled by the vehicles' on-board computers. In addition, GM-CAMS permits access to a storehouse of information frequently used by technicians for routine repair, other than electronics.

FINANCING & LEASING GMAC

When it comes to financing or leasing a new GM vehicle, General Motors Acceptance Corporation can make things easy. With GMAC, the entire transaction is handled right in the dealer's showroom. Rates are competitive, and terms are tailored to fit your circumstances.

For many people, leasing a new truck through GMAC is an ideal way to suit their transportation needs. Ask your GMC Truck Dealer for details.







Quality Network



